Form 9-275-G (July 1994)

Wild BAR State And Street Street

U.S. DEPARTMENT OF THE INTERIOR U.S. Geological Survey WATER RESOURCES DIVISION **DISCHARGE MEASUREMENT NOTES**

Sta. No. F10 Comp. by							Meas. No.	
Det Ha Stream Checked by Date Now 30	Sta. No. FIG	5					Comp. by	
Date NOV 30			am.					
WidthAreaVelG. HDisch MethodNo. secsG. H. changeinhrs. Susp				. AG	ZB	C	Checked	by
MethodNo. secsG. H. changeinhrs. Susp Method coefHor. angle coefSusp. coefMeter No Type of meterDate ratedTag checked Meterft. above bottom of wt. Spin before measafter Meterft. above bottom of wt. Spin before measafter Meterft. above bottom of wt. Spin before measafter Meterft. fromrating. Levels obtained GAGE READINGSWVAER QUALITY MEASUREMENTS TimeInsideUvatice No MoYes Samples Collected No Second Used Method Used	Width	Area	Vel.	(y	G. H.		Disch	1
Method coef. Hor. angle coef. Susp. coef. Meter No. Type of meter Date rated Tag checked Meter ft. above bottom of wt. Spin before meas. after Meas. plots % diff. from rating. Levels obtained GAGE READINGS WATER QUALITY MEASUREMENTS Time Inside Outside No Yes Time Samples Collected No Yes No Yes Time Method Used EDI EWI Other Samples Collected No Yes Time Method Used EDI EWI Other Section Samples Samples Collected No Yes Time Method Used EDI EWI Other Section Samples Samples Samples Correct M.G.H. No Yes Time Correct M.G.H. No Time Samples Correct M.G.H. No Time Samples Correct M.G.H. No Time Samples Samples <td>Method</td> <td>No. secs.</td> <td>G. H.</td> <td>change</td> <td></td> <td>in</td> <td>hrs. S</td> <td>usp.</td>	Method	No. secs.	G. H.	change		in	hrs. S	usp.
Type of meter Date rated Tag checked Meter ft. above bottom of wt. Spin before meas. after Meas. plots % diff. from rating. Levels obtained GAGE READINGS WATER QUALITY MEASUREMENTS Time Inside Outside No Yes Time GAGE READINGS WATER QUALITY MEASUREMENTS Time Inside Outside No Yes Time GAGE READINGS WATER QUALITY MEASUREMENTS Samples Collected No Yes Samples Collected No Yes Method Used EDI EWI Other Correct M.G.H Scoves Yes Time GH. correction Yes Time Method Used Correct M.G.H. No Yes Time Gage operating Weather Gage operating Coefficience Control Gage oper	Method coef.	Hor.	angle coef.		Susp.	coef.	Met	er No.
Meter								
Meas. plots % diff. from rating. Levels obtained GAGE READINGS WATER QUALITY MEASUREMENTS Time Inside Outside No Yes Time Samples Collected No Yes Time Method Used Correct M.G.H. BIOLOGICAL SAMPLES GAGE correction Correct M.G.H. No Type Check bar. chain found changed to at Mody, poor (over8%); based on the following cond: Flow Cross section Correct Correct M.G.H. Correct Max. Min. Method Used Correct M.G.H. Correct (2%), good (5%), fair (8%), poor (over8%); based on the f								
GAGE READINGS WATER QUALITY MEASUREMENTS Time Inside Outside No Yes Time Samples Collected No Yes Time Method Used D Collected No Yes Time Method Used EDI EWI Other D Stande 7.1137 EDI EWI Other Correction Stande 7.1137 EDI EWI Other Correct M.G.H. No Time Method Used EDI EWI Other Check bar. chain found chauged to at Time No Time								
Time Inside Outside No Yes Time Samples Collected No Yes Time Method Used Stage 7/1137 EDI EWI Other Stage 7/1246 No Yes Time Method Used EDI EWI Other Other Weighted M.G.H. Yes Time Method Used Correct M.G.H. Yes Time Time Correct M.G.H. No Type Type Check bar. chain found changed to at Method Used Event metrated excellent (2%), good (5%), fair (8%), poor (over8%)								SUREMENTS
Samples Collected Yes Time Method Used EDI EWI Other Stage Y.// 37 EDI EWI Other Stage Y.// 4 Stage Time Method Used Stage Yes Time Method Used EDI EWI Other Other Weighted M.G.H. Yes Time Method Used Correct M.G.H. Yes Time No Type Check bar. chain found changed to at Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow Cross section Control Gage operating Weather Intake/Orifice cleaned Air °C@ Water °C@ Record removed Extreme Indicator: Max. Min. Min. Nitrogen Pressure Tank Yee Bbl rate per mi	Time	Inside		Outside				
No Yes Time Method Used EDI EWI Other SEDIMENT SAMPLES No Yes Time Method Used EDI EWI Other SEDIMENT SAMPLES No Yes Time Method Used EDI EWI Other Weighted M.G.H. SO Yes Time Correct M.G.H. No Yes Time Correct M.G.H. No Type Check bar. chain found changed to at Wading, cable, ice, boat, upstr., downstr., side bridge feet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow Cross section Control Gage operating Weather Intake/Orifice cleaned Air °C@ Water °C@ Record removed Extreme Indicator: Max. Min. Min. Min. Nitrogen Pressure Tank Feed Bibl rate per mi CSG checked Stick reading Outside, in we Observer MVM outside, in we Remarks Outside, in we Outside, in we	635							
EDI EWI Other SEDIMENT SAMPLES No Yes Yes Time Method Used EDI EWI Other Weighted M.G.H. EDI EWI Other G.H. correction Yes Time Correct M.G.H. No Yes Time Check bar. chain found changed to at Wading, cable, ice, boat, upstr., downstr., side bridge feet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow Cross section Control Gage operating Weather Intake/Orifice cleaned Air °C@ Water °C@ Record removed Extreme Indicator: Max. Min. Min. min Nitrogen Pressure Tank Feed Bbl rate per mi CSG checked Stick reading Observer Outside, in we Remarks outside, in we Remarks		FLOW			No	X		
EDI EWI Other SEDIMENT SAMPLES No Yes Yes Time Method Used EDI EWI Other Weighted M.G.H. EDI EWI Other G.H. correction Yes Time Correct M.G.H. No Type Check bar. chain found changed to at Wading, cable, ice, boat, upstr., downstr., side bridge feet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow Correst section Control Gage operating Weather Intake/Orifice cleaned Air °C@ Record removed Extreme Indicator: Max. Min. Nitrogen Pressure Tank Feed Bbl rate per mi CSG checked Stick reading Outside, in we Remarks outside, in we Remarks	- in the second			-			Method Used	
SEDIMENT SAMPLES No Yes Method Used EDI EWI Weighted M.G.H. BIOLOGICAL SAMPLES G.H. correction Yes Correct M.G.H. No Correct M.G.H. No Waighted M.G.H. BIOLOGICAL SAMPLES G.H. correction Yes Correct M.G.H. No Check bar. chain found changed to at Wading, cable, ice, boat, upstr., downstr., side bridge feet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow Cross section Gage operating Weather Intake/Orifice cleaned Air °C@ Nitrogen Pressure Tank Yes Feed Bbl rate per mi CSG checked Stick reading Outside, in we Remarks outside, in we	a) chang	4.113-	7		EDI		EWI	Other
No Yes Time Method Used EDI EWI Other Weighted M.G.H. BIOLOGICAL SAMPLES G.H. correction Yes Time Correct M.G.H. No Type Check bar. chain found changed to at Wading, cable, ice, boat, upstr., downstr., side bridge feet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow		8 224	11	-				
Method Used Weighted M.G.H. EDI EWI Other G.H. correction Yes Time Correct M.G.H. No Type Check bar. chain found changed to at Wading, cable, ice, boat, upstr., downstr., side bridge feet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow	DEVEC	-5-92	21		No			
EDI EWI Other Weighted M.G.H. BIOLOGICAL SAMPLES G.H. correction Yes Time Correct M.G.H. No Type Check bar. chain found changed to at Wading, cable, ice, boat, upstr., downstr., side bridge feet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow Cross section Control Gage operating Mate/Orifice cleaned Air °C@ Nitrogen Pressure Tank Feed Bbl rate per mi CSG checked Stick reading Outside, in we HWVM outside, in we Remarks	TALVO	SAU	65	-		<i>f</i>		
Weighted M.G.H. BIOLOGICAL SAMPLES G.H. correction Yes Time Correct M.G.H. No Type Check bar. chain found changed to at Wading, cable, ice, boat, upstr., downstr., side bridge feet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow Cross section Control Gage operating Weather Intake/Orifice cleaned Air °C@ Record removed Extreme Indicator: Max. Min. Nitrogen Pressure Tank Image Feed 9 Observer Observer outside, in we HVVM	200 volt		24	-				
G.H. correction Yes Time Correct M.G.H. No Type Check bar. chain found changed to at Wading, cable, ice, boat, upstr., downstr., side bridge feet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow Cross section Control Gage operating Weather Intake/Orifice cleaned Air °C@ Record removed Extreme Indicator: Max. Min. Nitrogen Pressure Tank Yeo Per mi CSG checked Stick reading Observer HVVM outside, in we Remarks	3 1 4 6 . 1		9		EDI			
Correct M.G.H. No Type Check bar. chain found changed to at Wading, cable, ice, boat, upstr., downstr., side bridge feet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow Cross section Control Gage operating Weather Intake/Orifice cleaned Air °C@ Record removed Extreme Indicator: Max. Min. Nitrogen Pressure Tank Image per mile CSG checked Stick reading Observer HVVM	Weighted M.G.H							
Check bar. chain found	G.H. correction				Yes			
Wading, cable, ice, boat, upstr., downstr., side bridgefeet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow Cross section Control Gage operating Weather Intake/Orifice cleaned Air °C@ Record removed Extreme Indicator: Max. Min. Nitrogen Pressure Tank 12000 Feed 9 Bbl rate Observer HVVM outside, in we								
Wading, cable, ice, boat, upstr., downstr., side bridgefeet, mile, above, below gag Measurement rated excellent (2%), good (5%), fair (8%), poor (over8%); based on the following cond: Flow	Check bar. chai	n found		ch	anged	to		ıt
Flow	Wading, cable,	ice, boat, u	pst <mark>r., dow</mark> nst	r., side	bridge		feet, mile, abo	ve, below gage
Cross section Control Gage operating Weather Intake/Orifice cleaned Air °C@ Record removed Extreme Indicator: Max. Min. Nitrogen Pressure Tank 1200 Feed 9 Bbl rate //////////////// per minoper mino	Measurement rated	excellent (2%), good (5%), f	air (8%), p	00 1000	ver8%);	based on the fol	lowing cond:
Control	Flow							
Control	Cross section							
Gage operating Weather Intake/Orifice cleaned Air °C@ Record removed Extreme Indicator: Max. Min. Nitrogen Pressure Tank Image: Comparison of the second seco	Control							
Record removed Extreme Indicator: Max. Min. Nitrogen Pressure Tank 1200 Feed 9 Bbl rate per mi CSG checked Stick reading Observer	Gage operating			٧	Veathe	er		
Record removed Extreme Indicator: Max. Min. Nitrogen Pressure Tank 1200 Feed 9 Bbl rate per mi CSG checked Stick reading Observer	Intake/Orifice c	leaned	Air	°C@			Water	°C@
Nitrogen Pressure Tank Image: CSG checked per minor CSG checked Stick reading Observer	Record remov	ved	Extreme In	ndicator	: Max	κ.	Min.	
CSG checkedStick reading Observer HVVMoutside, in we Remarks	Nitrogen Pres	sure Tank	1200	Feed	9		Bbl rate law	per min
Observeroutside, in we Remarks	CSG checked			S	tick r	eadir	ng	
HWMoutside, in we Remarks								
Remarks	Н₩М						ou	tside, in well
				5 1 4 3 M				
G.H. of zero flow ft. Sheet No. of sheet								
G.H. of zero flow ft. Sheet No. of sheet								
	G.H. of zero	flow	ft.	Sheet	No.		of	sheets